

Ordinary Differential equations continued

Eugeniy E. Mikhailov

The College of William & Mary



Lecture 21

Notes

Recall Euler's method

Let's for simplicity consider simple first order ODE (notice lack of vector)

$$y' = f(x, y)$$

There is an exact way to write the solution

$$y(x) = \int_{x_0}^x f(x, y) dx$$

However for small interval of x , $x + h$ we assume that $f(x, y)$ is constant

$$\vec{y}(x_{i+1}) = \vec{y}(x_i + h) = \vec{y}(x_i) + \vec{f}(x_i, \vec{y}_i)h + \mathcal{O}(h^2)$$

Notes

The second-order Runge-Kutta method

Using multi-variable calculus and Taylor expansion, it can be shown

$$\begin{aligned} \vec{y}(x_{i+1}) &= \vec{y}(x_i + h) = \\ &= \vec{y}(x_i) + C_0 \vec{f}(x_i, \vec{y}_i)h + C_1 \vec{f}(x_i + ph, \vec{y}_i + qh \vec{f}(x_i, \vec{y}_i))h + \mathcal{O}(h^3) \end{aligned}$$

When

$$C_0 + C_1 = 1, \quad C_1 p = 1/2, \quad C_1 q = 1/2$$

There is a lot of possible choices of parameters C_0 , C_1 , p , and q which has no advantage over the others.

One of popular choices is $C_0 = 0$, $C_1 = 1$, $p = 1/2$, and $q = 1/2$ for

Modified Euler's method or midpoint method (error $\mathcal{O}(h^3)$)

$$\begin{aligned} k_1 &= h \vec{f}(x_i, \vec{y}_i) \\ k_2 &= h \vec{f}(x_i + \frac{h}{2}, \vec{y}_i + \frac{1}{2} k_1) \\ \vec{y}(x_i + h) &= \vec{y}_i + k_2 \end{aligned}$$

Notes

The fourth-order Runge-Kutta method

truncation error $\mathcal{O}(h^5)$

$$\begin{aligned} k_1 &= h \vec{f}(x_i, \vec{y}_i) \\ k_2 &= h \vec{f}(x_i + \frac{h}{2}, \vec{y}_i + \frac{1}{2} k_1) \\ k_3 &= h \vec{f}(x_i + \frac{h}{2}, \vec{y}_i + \frac{1}{2} k_2) \\ k_4 &= h \vec{f}(x_i + h, \vec{y}_i + k_3) \\ \vec{y}(x_i + h) &= \vec{y}_i + \frac{1}{6} (k_1 + 2k_2 + 2k_3 + k_4) \end{aligned}$$

Notes

Have a look in help files for ODEs in particular

- `ode45` - adaptive explicit 4th order Runge-Kutta method (good default method)
- `ode23` - adaptive explicit 2nd order Runge-Kutta method
- `ode113` - "stiff" problem solver
- and other

Adaptive stands for no need to chose 'h', algorithm will do it by itself.
But do remember the rule of not trusting computers.
Also run `odeexamples` to see some of the demos for ODEs solvers

Notes

Notes

Notes

Notes
