

Computers and programming languages introduction

Eugeniy E. Mikhailov

The College of William & Mary



Lecture 01

Class goals and structure

Primary purpose

- learn to to specify a problem
- break it up into algorithmic pieces
- implement a program to execute these pieces
 - learn Matlab

Class goals and structure

Primary purpose

- learn to to specify a problem
- break it up into algorithmic pieces
- implement a program to execute these pieces
 - learn Matlab

Structure

- first we learn basics of Matlab as programming language (couple weeks)
- then learn numerical analysis basics while keep mastering Matlab

Class goals and structure

Primary purpose

- learn to to specify a problem
- break it up into algorithmic pieces
- implement a program to execute these pieces
 - learn Matlab

Structure

- first we learn basics of Matlab as programming language (couple weeks)
- then learn numerical analysis basics while keep mastering Matlab

Weekly schedule

- Monday, Wednesday: normal lecture hours
- Friday: short lecture, lab, hands on

Building blocks

Building blocks

To learn a language we need to practice and use this language

- a lot of weight on homeworks and projects

Building blocks

To learn a language we need to practice and use this language

- a lot of weight on homeworks and projects

No final exam

- Final project defense instead
- December 13 at 13:00 in Small Hall 233

Building blocks

To learn a language we need to practice and use this language

- a lot of weight on homeworks and projects

No final exam

- Final project defense instead
- December 13 at 13:00 in Small Hall 233

Grades contribution

- Homeworks: 15%
- Midterm projects: 60%
- Final project: 25%

Building blocks

To learn a language we need to practice and use this language

- a lot of weight on homeworks and projects

No final exam

- Final project defense instead
- December 13 at 13:00 in Small Hall 233

Grades contribution

- Homeworks: 15%
- Midterm projects: 60%
- Final project: 25%

Assignments and lecture notes will be posted on my homepage

- <http://physics.wm.edu/~evmik/>

Homeworks and midterm project deadlines

- **due date:** corresponding Monday at 1:00pm for email submission
- report to be submitted via email as well as a carbon copy to be collected at the beginning of the Monday class

if there is no listings and no algorithms/data files you will get zero points.

Late submission penalties

For each consequent day after due date there will be a penalty (10% out of maximum possible score). Even if submission happens 1 minute after due date, it holds 1 day penalty.

Projects homework preparation recommendation

Do not wait till last day to finish your exercise. Programs almost never works at the first try and require quite a lot of time to debug.

Collaboration and grading scale

- Collaborations are not permitted for homeworks.
- Projects to be done in group of 2 or 3 persons. This is the time to actively discuss and cooperate. Only one report per such group is needed.
 - But everyone expected to have a full understanding of the project.
 - Be ready to answer questions related to the project without your group support.

Grading scale

Grade	percentage	Grade	percentage	Grade	percentage
		A	94-100	A-	90-93
B+	87-89	B	84-86	B-	80-83
C+	77-79	C	74-76	C-	70-73
D+	67-69	D	64-66	D-	60-63
F	<60				

Recommended reading

Everything required during this class will be provided during lecture times.

Two **optional** books for your own references.

A short Matlab reference book: "Getting Started with MATLAB: A Quick Introduction for Scientists and Engineers" by Rudra Pratap

- ISBN-10: 0199731241
- ISBN-13: 978-0199731244

A more extended treatment of numerical algorithm with Matlab: "Numerical Methods in Engineering with MATLAB" by Jaan Kiusalaas

- ISBN-10: 0521191335
- ISBN-13: 978-0521191333

Early history of computing

Early history of computing

Computers use to be humans

Early history of computing

Computers use to be humans

Computing aids - no programming possible

- abacus
- sliding ruler
- pre-calculated tables of function (logarithm, trigonometry ...)
- mechanical calculators


Early history of computing

Computers use to be humans

Computing aids - no programming possible

- abacus
- sliding ruler
- pre-calculated tables of function (logarithm, trigonometry . . .)
- mechanical calculators

Modern computers appear at 1946 -ENIAC (Electronic Numerical Integrator And Computer)



- weight: 30 tons
- cost: \$500,000
(\$6,000,000 adjusted)
- power consumption:
150 kW

Speed operations per second

ENIAC

- 5000 additions
- 357 multiplications
- 38 divisions

Speed operations per second

ENIAC

- 5000 additions
- 357 multiplications
- 38 divisions

Athlon 3000+ (2GHz)

- 70,000,000 additions
- 70,000,000 multiplications
- 50,000,000 divisions
- 15,000,000 sin operations

Common features of modern computer

- Central Processing Unit (CPU)
- memory
 - holds data and executable code
- data input and output
- same hardware can do different calculation sequences
- usually use binary system
- programmable for any general task

Common features of modern computer

- Central Processing Unit (CPU)
- memory
 - holds data and executable code
- data input and output
- same hardware can do different calculation sequences
- usually use binary system
- programmable for any general task

Speed measured in FLOPS (the number of floating point operations per second) which usually proportional to the clock frequency.

Common features of modern computer

- Central Processing Unit (CPU)
- memory
 - holds data and executable code
- data input and output
- same hardware can do different calculation sequences
- usually use binary system
- programmable for any general task

Speed measured in FLOPS (the number of floating point operations per second) which usually proportional to the clock frequency.

Different computer architectures (AMD, Mac, Intel, ARM ...) have different proportionality coefficient.

Common features of modern computer

- Central Processing Unit (CPU)
- memory
 - holds data and executable code
- data input and output
- same hardware can do different calculation sequences
- usually use binary system
- programmable for any general task

Speed measured in FLOPS (the number of floating point operations per second) which usually proportional to the clock frequency.

Different computer architectures (AMD, Mac, Intel, ARM ...) have different proportionality coefficient.

My 2 GHz AMD PC can do about 50 MegaFLOPS

Computers are incredibly fast,

Computers are incredibly fast, accurate, and

*Computers are incredibly fast, accurate, and **stupid**.*

*Computers are incredibly fast, accurate, and **stupid**. Humans beings are incredibly slow,*

*Computers are incredibly fast, accurate, and **stupid**. Humans beings are incredibly slow, inaccurate,*

*Computers are incredibly fast, accurate, and **stupid**. Humans beings are incredibly slow, inaccurate, and brilliant.*

*Computers are incredibly fast, accurate, and **stupid**. Humans beings are incredibly slow, inaccurate, and brilliant. Together they are powerful beyond imagination.*

Leo Cherne (1969)

*Computers are incredibly fast, accurate, and **stupid**. Humans beings are incredibly slow, inaccurate, and brilliant. Together they are powerful beyond imagination.*

Leo Cherne (1969)

Thus

Computer is not a substitute for a brain

Programming languages overview

There are hundreds programming languages.

Programming languages overview

There are hundreds programming languages.

- Super low-level language
 - binary code
 - the only thing which computers understand
 - each instruction looks like a number
 - usually it is not human readable

Programming languages overview

There are hundreds programming languages.

- Super low-level language
 - binary code
 - the only thing which computers understand
 - each instruction looks like a number
 - usually it is not human readable
- low-level languages
 - assembler (human readable binary code translation)
 - Fortran, LISP, C, C++, Fort

Programming languages overview

There are hundreds programming languages.

- Super low-level language
 - binary code
 - the only thing which computers understand
 - each instruction looks like a number
 - usually it is not human readable
- low-level languages
 - assembler (human readable binary code translation)
 - Fortran, LISP, C, C++, Fort
- higher-level languages
 - Tcl, Java, JavaScript, PHP, Perl, Python

Programming languages overview

There are hundreds programming languages.

- Super low-level language
 - binary code
 - the only thing which computers understand
 - each instruction looks like a number
 - usually it is not human readable
- low-level languages
 - assembler (human readable binary code translation)
 - Fortran, LISP, C, C++, Fort
- higher-level languages
 - Tcl, Java, JavaScript, PHP, Perl, Python
- **Unfortunately none of them serves all needs.**

Compiled

- generate computers binary code
 - it takes time
- faster execution time
- a bit harder to debug
- if you find and fixed an error (bug) you need to recompile
- Examples:
Assembler, C, C++, Fortran

Programming languages implementations

Compiled

- generate computers binary code
 - it takes time
- faster execution time
- a bit harder to debug
- if you find and fixed an error (bug) you need to recompile
- Examples: Assembler, C, C++, Fortran

Interpreted

- No compilation
- interpretation to machine code per instruction
- slow (since you have to interpret same instruction over and over)
- cross-platform code
- Examples: Perl, JavaScript, Lua, Php, Tcl, Shells, Matlab

Programming languages implementations

Compiled

- generate computers binary code
 - it takes time
- faster execution time
- a bit harder to debug
- if you find and fixed an error (bug) you need to recompile
- Examples: Assembler, C, C++, Fortran

just-in-time compilation

- middle ground
- compile once to bytecode
- cross-platform
- Examples: Java, Python

Interpreted

- No compilation
- interpretation to machine code per instruction
- slow (since you have to interpret same instruction over and over)
- cross-platform code
- Examples: Perl, JavaScript, Lua, Php, Tcl, Shells, Matlab

Matlab as a language of choice

Matlab (matrix laboratory)

Matlab as a language of choice

Matlab (matrix laboratory)

Pro

- interpreted
 - easy to use and debug
- quite fast if done right, since main functions are compiled
- large selection of scientific related functions
- built in graphics/plotting
- Turing complete (you can do with it everything which computer is capable)
- designed to do numerical calculations

Matlab as a language of choice

Matlab (matrix laboratory)

Pro

- interpreted
 - easy to use and debug
- quite fast if done right, since main functions are compiled
- **large selection of scientific related functions**
- built in graphics/plotting
- Turing complete (you can do with it everything which computer is capable)
- designed to do numerical calculations

Contra

- interpreted
 - could be slow if programmed inefficiently
- **Not free to modify internals**
- quite fast since for main functions it calls a compiled code
- rudimentary symbolic calculations

Matlab: where to get

- Free for W&M students
- available for Mac and Windows
- visit <http://www.wm.edu/offices/it/a-z/software/index.php>
- choose appropriate “Math & Statistics Software section”
- download Matlab

Matlab: where to get

- Free for W&M students
- available for Mac and Windows
- visit <http://www.wm.edu/offices/it/a-z/software/index.php>
- choose appropriate “Math & Statistics Software section”
- download Matlab

Please, do it before this Friday class, also do not forget to bring your notebook with you for Friday classes.

Discretization - The main weakness of computers

- coming from resources limitation

For example:

$$1/6 = 0.1666666666666666 \dots$$

But computer has limited amount of memory. Thus it cannot hold infinite amount of digits and has to truncate somewhere.

Let's say it can hold only 4 significant digits.

$$1/6 = 0.6667_c$$

This called **round off error** due to truncation/rounding. Then for computer

$$1/6 = 1/5.9999$$

or

$$\mathbf{0.1667123} = \mathbf{0.1667321} = \mathbf{0.1667222} = \mathbf{0.1667111}$$

or even more interesting

$$20 \times (1/6) - 20/6 = 20 \times 0.1667 - 3.333 = 3.334 - 3.333 = 10^{-4}$$

Binary representation - why PHYS 256

Modern general purpose computers use binary representation

- bit is a smallest unit of information
- bit value is either 0 or 1

Bit is too small so we use byte

- byte = 8 bits stitched together
- byte can represent values in the range $-128 \dots 0 \dots 127$
- the major (the left most) bit usually holds the sign (s) of the number
 - 0: means positive
 - 1: means negative

- 01001010_2

- decimal representation $01001010_2 =$

$$\begin{aligned} & (-1)^0 \times (0 \times 2^0 + 1 \times 2^1 + 0 \times 2^2 + 1 \times 2^3 + 0 \times 2^4 + 0 \times 2^5 + 1 \times 2^6) \\ & = 2 + 8 + 64 = 74 \end{aligned}$$

Binary representation (cont.)

Byte is clearly too small to be used for real life computation.

Matlab uses 8 bytes or 64 bits for number representation

- available range $-2,147,483,648 \dots 0 \dots 2,147,483,647$
- you can find this range by executing `intmin` and `intmax`
- notice that you cannot use numbers outside of this range
 - $2,147,483,647 + 10 = 2,147,483,647$
 - this is called **overflow error**

Float numbers representation

What to do if you need to store a float number?

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

- First convert it to scientific notation
 - -1.23765×10^{14}

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

- First convert it to scientific notation
 - -1.23765×10^{14}
- truncate it to certain number of significant digits
 - let use 4 for example (actually 17 decimals for 64 bits float number)
 - -1.237×10^{14}

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

- First convert it to scientific notation
 - -1.23765×10^{14}
- truncate it to certain number of significant digits
 - let use 4 for example (actually 17 decimals for 64 bits float number)
 - -1.237×10^{14}
- resulting number should have a form $(-1)^s \times c \times b^q$
 - where s is a sign bit (1 in our case)
 - c is mantissa or coefficient (1.237)
 - b is the base (10)
 - q is the exponent (14)

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

- First convert it to scientific notation
 - -1.23765×10^{14}
- truncate it to certain number of significant digits
 - let use 4 for example (actually 17 decimals for 64 bits float number)
 - -1.237×10^{14}
- resulting number should have a form $(-1)^s \times c \times b^q$
 - where s is a sign bit (1 in our case)
 - c is mantissa or coefficient (1.237)
 - b is the base (10)
 - q is the exponent (14)

Float numbers representation

What to do if you need to store a float number?

For example -123.765×10^{12}

- First convert it to scientific notation
 - -1.23765×10^{14}
- truncate it to certain number of significant digits
 - let use 4 for example (actually 17 decimals for 64 bits float number)
 - -1.237×10^{14}
- resulting number should have a form $(-1)^s \times c \times b^q$
 - where s is a sign bit (1 in our case)
 - c is mantissa or coefficient (1.237)
 - b is the base (10)
 - q is the exponent (14)

Computers internally use binary base

- $b = 2$
- 64 bits for full representation
 - 52+1 bits for mantissa (about 17 decimal digits)
 - 11 bits for exponent (± 307)

Limits of the float representation

- maximum $\pm 1.797693134862316 \times 10^{308}$
(use `realmax` in Matlab)
 - $(1.797693134862316 \times 10^{308}) \times 10 = \text{Inf}$
 - **overflow error**
- minimum $\pm 2.225073858507201 \times 10^{-308}$
(use `realmin` in Matlab)
 - $(2.225073858507201 \times 10^{-308})/10 = 0$
 - **underflow problem**
- **truncation error**
 - $1.797693134862316 + 20 = 21.797693134862318$
 - $1.797693134862316 + 100 = 101.7976931348623$
- how to mitigate
 - try to use numbers of the similar magnitude
 - do not rely on the least significant digits