

Search for Ξ^{--} Pentaquarks at HERMES

Keith Griffioen

NIKHEF and College of William and Mary



November 2003

July 28, 2004

Abstract

Various transparencies shown during my Ξ^{--} pentaquark analysis of September and October 2003.






Pentaquarks







2





Can we find the Ξ^{--} in HERMES data?


Select events with $p \pi^- \pi^- \pi^-$




$M_{\pi^+\pi^-\pi^-}$ from another event









• nrhd







rmass



zvertex



dvertex



$$\Xi^{--} \sim 1750 \text{ MeV}$$

$$\Xi^- = 1,321 \text{ MeV}$$

$$\Lambda = 1,116 \text{ MeV}$$


$$P = 0,938 \text{ MeV}$$

$$\pi = 140 \text{ MeV}$$

$$\Xi^{--} \rightarrow \Xi^- + \pi^- \quad p_{cm} = 0.36 \text{ GeV}$$

$$\Xi^- \rightarrow \Lambda + \pi^- \quad p_{cm} = 0.14 \text{ GeV}$$

$$\Lambda \rightarrow p + \pi^- \quad p_{cm} = 0.10 \text{ GeV}$$



$$\cos \theta \approx 1 - \frac{\Theta^2}{2}$$

$$\Theta \approx \frac{P_\pi}{P_{\Xi^{--}}}$$

$$\Theta_{max} \approx \frac{0.36}{5} \quad \frac{\Theta^2}{2} = 0.0026$$

resolution: 3 mrad

$$d\cos \theta = \Theta d\Theta = 0.020 \times 0.003 = 2 \times 10^{-4}$$

signal - .01 × background

